

What is claimed is:

1 1(currently amended). A shower arrangement, comprising:
2 a hollow wall bar running parallel to a wall surface and configured
3 for fixing a hand shower having a sliding holder, along the hollow wall
4 bar,
5 wherein the hollow wall bar is connectable at one end of the
6 hollow wall bar via a water carrying wall connection ~~at which connection one~~
7 ~~end of the hollow wall bar is connectable~~ to a wall water supply, and,
8 wherein the hollow wall bar comprises at the other end of the
9 hollow wall bar at least one shower coupling ~~at an other end of the hollow~~
10 ~~wall bar,~~
11 such that the shower coupling is supplied with water through the hollow
12 wall bar.

1 2(withdrawn). The shower arrangement in accordance with claim 1,
2 further comprising at least one shower supplied with water from the shower
3 coupling, and a valve device for shut-off of the water between the wall
4 connection and the shower.

1 3(withdrawn). The shower arrangement in accordance with claim 2,
2 wherein the at least one shower comprises a side shower.

1 4(withdrawn). The shower arrangement in accordance with claim 1,
2 further comprising at least one shower that is fixed to the hollow wall bar and
3 supplied with water through a radial opening into the wall bar.

1 5(previously presented). The shower arrangement in accordance with
2 claim 1, further comprising a hand shower attached via a shower hose to the
3 shower coupling.

1 6(previously presented). The shower in accordance with claim 1,
2 further comprising at least one adjustable shower supplied with water through
3 the hollow wall bar.

1 7(withdrawn). The shower arrangement in accordance with claim 1,
2 further comprising a shower arranged in a housing held on the wall bar.

1 8(withdrawn). The shower arrangement in accordance with claim 7,
2 wherein the housing is movable by at least one of rotation and axial movement
3 in relation to the wall bar.

1 9(withdrawn). The shower arrangement in accordance with claim 8,
2 wherein the axial movement of the housing in relation to the wall bar is
3 restricted.

1 10(withdrawn). The shower arrangement in accordance with claim 7,
2 wherein a movement of the housing in relation to the wall bar causes a change
3 in a characteristic of the shower.

1 11(withdrawn). The shower arrangement in accordance with claim 7,
2 wherein a movement of the housing in relation to the wall bar is associated
3 with actuation of a valve device for shut-off of the water between the wall
4 connection and the shower.

1 12(withdrawn). The shower arrangement in accordance with claim 7,
2 wherein the housing supplies at least one additional said shower, whereby the
3 arrangement comprises plural showers.

1 13(withdrawn). The shower arrangement in accordance with claim 12,
2 wherein the plural showers operate simultaneously.

1 14(withdrawn). The shower arrangement in accordance with claim 12,
2 wherein the plural showers are operated alternately by a valve device.

1 15(withdrawn). The shower arrangement in accordance with claims 7,
2 comprising at least one additional said housing held on the wall bar.

1 16(withdrawn). The shower arrangement in accordance with claim 15,
2 wherein the housings are individually adjustable.

1 17(withdrawn). The shower arrangement in accordance with claim 15,
2 wherein the housings are adjustable together.

1 18(withdrawn). The shower arrangement in accordance with claim 1,
2 further comprising a toggle switch between a shower arranged on the wall bar
3 and a hand shower supplied from the shower coupling.

1 19(withdrawn). The shower arrangement in accordance with claim 7,
2 wherein the shower is changeable between switch-on/switch-off without
3 adjustment to the housing.

1 20(withdrawn). The shower arrangement in accordance with claim 7,
2 wherein a jet direction of the shower can be changed without adjustment to the
3 housing.

1 21(withdrawn). The shower arrangement in accordance with claim 1,
2 further comprising at least one shower formed as a side shower.